

Value-added Accessories for IEI SBC



1

DVI Function

WSB-9154



IO-KIT-001



Silicon Image SIL 1362CLU

= WSB-9154DVI
Pure Digital Graphic Signals

DVI bracket with 4 USB Ports

2

Audio Function

AC-KIT08R



Realtek ALC655



5.1 Channel upgrading

COLOR	DESCRIPTION	
	2 CHANNEL	6 CHANNEL
GREEN	LINE OUT	FRONT OUT
BLUE	LINE IN	SURROUND OUT
PINK	MIC IN	CENTER_LFE OUT

= WSB-9154 / WSB-9154DVI + AC-KIT08R
=Upgrading 5.1 Channel Audio Function in WSB-9154

3

HD Audio Function

AC-KIT883HD



Two Independent audio streams
7.1 Channel upgrading



Realtek ALC883

Two Independent Audio track play



Background Audio

Advertisement Audio

= WSB-9154 / WSB-9154DVI + AC-KIT883HD
7.1 channel audio with two independent audio streams in WSB-9154

4

LVDS Function



PCISA-LUKE

+



I-LUKE LVDS Module

=

Dual channel 18/24 Bit LVDS Support

The only SBC design that can support both Dual channel 18-bit and Dual channel 24-bit LVDS LCD Panels.

5

Low Profile DVI, VGA, LVDS Function



PVGA-M1600L



Multi graphic output



Low Profile Design



Mobile Graphic



Features :

- Low Power : AT1 1600 mobile graphic chip
- Low Profile : 8 CM low profile
- DVI / VGA / LVDS output option
- PCI-E x16 high performance graphics card

6

Multi GbE , e-SATA, SATA Function



EPM-G2N



Multi GbE Design



Low Profile

Features :

- Low Profile design for EPIC form factor
- Dual Intel / Realtek GbE LAN options
- eSATA, SATA options